

**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES**  
**DIVISION OF ENVIRONMENTAL HEALTH**  
**EATING & DRINKING ESTABLISHMENT / FOOD ESTABLISHMENT**  
**INSPECTION REPORT**

<b>REASON</b>	<b>GRADE</b>	<b>Inspection Date:</b>		<b>ESTABLISHMENT NAME:</b>	
Regular	4	5/15/18		CIRCLIE LC	
Follow-Up		Time In	Time Out	OWNER/OPERATOR:	
Complaint		10:00am	12:30pm	SOUTH PACIFIC PETROLEUM CORPORATION	
Investigation	A	Sanitary Permit No.		LOCATION:	Establishment Type:
Other:		20000-170002465		1300-1 & 1301 1300-2A MANUUA	MANUFACTURER
		PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner, as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED BASED ON COMPLAINT #18-074A REGARDING SOMEONE GETTING SICK AFTER EATING SIOPAO FROM THE ESTABLISHMENT. PREVIOUS INSPECTION CONDUCTED ON 12/17/12 (D/A)		
	THE FOLLOWING WAS OBSERVED:		
	NO EVIDENCE TO SUPPORT COMPLAINT WAS FOUND AT TIME OF INSPECTION.		
#3	MULTIPLE PHF/TCS FOODS HELD AT THE IMPROPER TEMPERATURE (SPAM 115.0°F, HOT DOG 48.0°F) ALL PHF/TCS FOODS SHALL BE HELD EITHER ABOVE 140°F OR BELOW 41°F TO PREVENT BACTERIAL GROWTH	CO5	
	* CO5: FOOD WAS DISCARDED		
#14	FOOD CONTACT SURFACES CONSTRUCTED OF CARDBOARD. ALL FOOD/NON-FOOD CONTACT SURFACES SHALL BE SMOOTH AND NON ABSORBENT TO ALLOW FOR PROPER CLEANING	2	6/15/18

I have read and understand the above violation(s) and I am aware of the corrective measures that I must take.

\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:

(1), (3), (11), (12), (27), (28), (30), (41) & (45).



Received By (Name & Title):

DEH Inspector (Name & Title):

J. CRUZ EPHO I

05/15/18

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner, as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written request for hearing must be submitted before the indicated correction date.

I have read and understand the above violation(s) and I am aware of the corrective measures that I must take.	
*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:	Received By (Name & Title):  DEH Inspector (Name & Title): 
(1), (3), (11), (12), (27), (28), (30), (41) & (45).	